



Test  
TS EN ISO/IEC 17025  
AB-0716-T

AB-0716-T
TURT220080893_ REVISED01
08-22

## TEST REPORT

Page 1 of 11

**REPORT NUMBER :** TURT220080893\_REVISED01  
**APPLICANT NAME :** Kornit Digital Ltd.  
**ADDRESS :** 12 Ha'Amal St.POB 11781 VAT Number: 558010229Afek Park Rosh- Ha Ayin / ISRAEL  
TEL:+972 3 5148502

**Attention :** Sergio Brandriss ( [sergio.brandriss@kornit.com](mailto:sergio.brandriss@kornit.com) )

### SAMPLE DESCRIPTION :

- Sample 1 One sample of dark pink woven fabric (Claimed to be:Robusto Magenta V1000 on BCC)
- Sample 2 One sample of blue woven fabric (Claimed to be:Robusto Cyan/Cyan Plus V100 on BCC)
- Sample 3 One sample of neon pink woven fabric (Claimed to be:Robusto Neon Pink V1000 on BCC)
- Sample 4 One sample of black woven fabric (Claimed to be:Robusto Black V1000 on BCC)
- Sample 5 One sample of neon yellow woven fabric (Claimed to be:Robusto Neon Yellow V1000 on BCC)
- Sample 6 One sample of red woven fabric (Claimed to be:Robusto Red V1000 on BCC)
- Sample 7 One sample of yellow woven fabric (Claimed to be:Robusto Yellow V1000 on BCC)
- Sample 8 One sample of green woven fabric (Claimed to be:Robusto Green V1000 on BCC)
- Sample 9 One sample of white woven fabric (Claimed to be:Robusto White V1000 on BCC)

**DATE IN :** 14 July ,2022 ( 14:32:00)  
**RESUBMIT DATE :** 9 August ,2022  
**DATE OUT :** 20 July ,2022 /10 August ,2022  
**BUYER NAME :** Not Given  
**REFERENCE :** 9 T-SHIRT  
**FIBER COMPOSITION :** Not Given

Duygu Ibrahimko  
Customer Care Executive

Zeynep AKIN  
Chemical Laboratory Manager

**Intertek Test Hizmetleri A.S.**  
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL  
**Phone : +90 212 496 46 46 Fax: +90 212 452 80 55**  
**e-mail :** [intertekcg.turkiye@intertek.com](mailto:intertekcg.turkiye@intertek.com)  
**http://www.intertek-turkey.com**



220080893\_REV01

## TEST REPORT

REPORT : TURT220080893\_REVISED01

Page 2 of 11

**NOTE :**

1. In this revised 01 report, Total Lead in Non Metal Products test was re-performed on the sample and the previous test result was removed and Sample Pictures were added by the request of the applicant.

This report replaces the report no TURT220080893 dated on 20 July, 2022 and must be used instead of it.

Report no TURT220080893 dated 20 July, 2022 is invalid.

2. Test methods were given by the applicant.

**PROVIDED CARE LABEL :** Not Given

TEST	SAMPLE						
	1	2	3	4	5	6	7
Phthalate Content	P	P	P	P	P	P	P
Total Lead in Non Metal Products	P	P	P	P	P	P	P
Lead in Paint and Other Similar Surface Coating	NA	NA	NA	NA	NA	NA	NA

TEST	SAMPLE	
	8	9
Phthalate Content	P	P
Total Lead in Non Metal Products	P	NA
Lead in Paint and Other Similar Surface Coating	NA	P



## TEST REPORT

REPORT : TURT220080893\_REVISED01

Page 3 of 11

**P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS = FURTHER STEPS / P\* = COMMERCIALY ACCEPTED BY CLIENT**

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Tests marked (\*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. Intertek accredited by TÜRKAK under registration number [AB-0716-T] for [TS EN ISO IEC 17025] as test laboratory. Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

**Intertek Test Hizmetleri A.S.**

*Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL*

**Phone : +90 212 496 46 46 Fax: +90 212 452 80 55**

**e-mail : [intertekcg.turkiye@intertek.com](mailto:intertekcg.turkiye@intertek.com)**

**<http://www.intertek-turkey.com>**



220080893\_REV01

Test Method	Results	Requirements
-------------	---------	--------------

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 1

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 2

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

Test Method	Results	Requirements
-------------	---------	--------------

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 3

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 4

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

Test Method	Results	Requirements
-------------	---------	--------------

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 5

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 6

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

Test Method	Results	Requirements
-------------	---------	--------------

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 7

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

**Phthalate Content**

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis  
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 8

Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
< = Less Than  
\* = EXCEEDED LIMIT  
Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

Test Method	Results	Requirements
<b>Phthalate Content</b>		
CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis		
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS		
Sample 9		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg  
 < = Less Than  
 \* = EXCEEDED LIMIT  
 Detection Limit = 60 ppm

Estimated Total Uncertainty=( Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18 )

**Total Lead in Non Metal Products**

CPSC-CH-E1002-08.3 Method followed by ICP-OES

Sample: 1&2&3&4&5&6&7&8 Not Detected 100 ppm

ppm (part per million) = mg / kg  
 < = Less Than  
 Detection Limit = 20 ppm

Estimated Total Uncertainty=( Plastic&Polimer: ±%13 ; Ceramic&Glass: ±%16)



Test Method	Results	Requirements
-------------	---------	--------------

**Lead in Paint and Other Similar Surface Coating**

CPSC-CH-E1003-09.1 Method followed by ICP-OES

**Result**

Sample 9

1-White print

Not Detected

90 ppm

ppm (part per million) = mg / kg  
< = Less Than  
Detection Limit = 5 ppm  
Estimated Total Uncertainty=( Wet Paint: ±13%  
Paint Coated Surface: ±13%)

RESULTS

REPORT :TURT220080893\_REVISED01

Page 10 of 11

10 August ,2022

**Sample 1**



**Sample 2**



**Sample 3**



**Sample 4**



**Sample 5**



**Sample 6**



**Intertek Test Hizmetleri A.S.**

*Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL*

**Phone : +90 212 496 46 46 Fax: +90 212 452 80 55**

**e-mail : [intertekcg.turkiye@intertek.com](mailto:intertekcg.turkiye@intertek.com)**

**<http://www.intertek-turkey.com>**

RESULTS

REPORT :TURT220080893\_REVISED01

Page 11 of 11

10 August ,2022

**Sample 7**



**Sample 8**



**Sample 9**



---

## END OF TEST REPORT ##