



Test
TS EN ISO/IEC 17025
AB-0716-T

AB-0716-T
TURT220068296_ REVISED01
07-22

TEST REPORT

Page 1 of 10

REPORT NUMBER : TURT220068296_REVISED01
APPLICANT NAME : Kornit Digital Ltd.
ADDRESS : 12 Ha'Amal St.POB 11781 VAT Number: 558010229Afek Park Rosh- Ha Ayin / ISRAEL
TEL:+972 3 5148502

Attention : Sergio Brandriss (sergio.brandriss@kornit.com)

SAMPLE DESCRIPTION :

- Sample 1 One sample of neon pink printed white knitted tshirt (Claimed to be:Kornit NeoPigment Olympia Neon Pink)
- Sample 2 One sample of neon yellow printed white knitted tshirt (Claimed to be:Kornit NeoPigment Olympia Neon Yellow)
- Sample 3 One sample of white printed white knitted tshirt (Claimed to be:Kornit NeoPigment Olympia White)
- Sample 4 One sample of pink printed white knitted tshirt (Claimed to be:Kornit NeoPigment Olympia Magenta)
- Sample 5 One sample of black printed white knitted tshirt (Claimed to be:Kornit NeoPigment Olympia Black)
- Sample 6 One sample of blue printed white knitted tshirt (Kornit NeoPigment Olympia Cyan)
- Sample 7 One sample of yellow printed white knitted tshirt (Kornit NeoPigment Olympia Yellow)

DATE IN : 10 June ,2022 (13:08:00)
RESUBMIT DATE : 4 July ,2022
DATE OUT : 15 June ,2022 /4 July ,2022
BUYER NAME : Not Given
REFERENCE : 7 T shirts
FIBER COMPOSITION : Not Given
NOTE :

Test methods were given by the applicant.
-Pass/Fail statements were made based on applicants submitted requirements.

In this revised 01 report, sample pictures were added by the request of the applicant.
This report replaces the report no TURT220068296 dated on 04 July, 2022 and must be used instead of it.
Report no TURT220068296 dated 04 July,2022 is invalid.

Duygu Ibrahimko
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
http://www.intertek-turkey.com



220068296_REV01

TEST REPORT

REPORT : TURT220068296_REVISED01

PROVIDED CARE LABEL : Not Given

Page 2 of 10



TEST REPORT

REPORT : TURT220068296_REVISED01

Page 3 of 10

TEST	SAMPLE						
	1	2	3	4	5	6	7
Phthalate Content	P	P	P	P	P	P	P
Lead in Paint and Other Similar Surface Coating	P	P	P	P	P	P	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS = FURTHER STEPS / P* = COMMERCIALY ACCEPTED BY CLIENT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. Intertek accredited by TÜRKAK under registration number [AB-0716-T] for [TS EN ISO IEC 17025] as test laboratory. Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.



Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 1

Test Method	Results	Requirements
Neon pink print		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 2

Test Method	Results	Requirements
Yellow printed fabric		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 3

White print		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHRAMOTOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 4

Pink print		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromatography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHROMATOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 5

Black print		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromatography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHROMATOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 6

Blue printed fabric		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
< = Less Than
* = EXCEEDED LIMIT
Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromatography - Mass Spectrometry (GC-MS) Analysis
BY GAS CHROMATOGRAPHY - MASS SPECTROMETRY (GC-MS) ANALYSIS

Sample 7

Yellow print		
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) = mg / kg
 < = Less Than
 * = EXCEEDED LIMIT
 Detection Limit = 60 ppm

Estimated Total Uncertainty=(Hard Plastic: ±%20; Soft Plastic: ±% 18; Print: ±% 18; Coated Textile: ±% 19; Coated Leather: ±% 19 Artificial Leather: ±% 19; Rubber: ±% 18; Foam: ±% 18;Adhesive: ±% 18)

Test Method	Results	Requirements
-------------	---------	--------------

Lead in Paint and Other Similar Surface Coating

CPSC-CH-E1003-09.1 Method followed by ICP-OES

Result

Sample 1 Neon pink print	Not Detected	90 ppm
Sample 2 Yellow print	Not Detected	90 ppm
Sample 3 White print	Not Detected	90 ppm
Sample 4 Pink print	Not Detected	90 ppm
Sample 5 Black print	Not Detected	90 ppm
Sample 6 Blue print	Not Detected	90 ppm
Sample 7 Yellow print	Not Detected	90 ppm

ppm (part per million) = mg / kg
< = Less Than
Detection Limit = 5 ppm
Estimated Total Uncertainty=(Wet Paint: ±13%
Paint Coated Surface: ±13%)


RESULTS

REPORT :TURT220068296_REVISED01

Page 9 of 10

4 July ,2022

Sample 1



Sample 2




Sample 3




Sample 4



Sample 5



Sample 6



Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone : +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail : intertekcg.turkiye@intertek.com

<http://www.intertek-turkey.com>

RESULTS

REPORT :TURT220068296_REVISED01

Page 10 of 10

4 July ,2022

Sample 7



END OF TEST REPORT